

IN THE COURT OF THE MUNSIF AT CHITALDRUG.

Insolvency Case No. 1 of 1938-39.

Thalavara Guddadappa, son of Obanna, resident of Uppanayakanahalli in Chitaldrug Taluk

Petitioner
(Debtor).

(1) Marwadi Navalaji, resident of Chitaldrug, (2) Vysyara Ramanna, resident of Holalkere, (3) Jagannatha Iyengar alias Jaganna, son of Post Master Rangayyengar, resident of Chitaldrug and (4) Marwadi Sonmall, resident of Chitaldrug

Opponents
(Creditors).

Whereas the abovenamed petitioner has applied to this Court, by a petition dated the 5th July 1938, to be declared an insolvent under the Mysore Insolvency Act, VI of 1911 and your names appear in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 28th day of November 1938, for the hearing of the aforesaid petition and for the examination of the debtor. If you desire to be represented in the matter, you should attend in person or by duly instructed pleader.

Given under my hand and the seal of the Court, this 13th day of October 1938.

K. R. THIMMARAYA SETTY,
Munsiff.

THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 13th October 1938, published under Article 141 of the Articles of Association.

LIABILITIES		ASSETS	
	Rs.		Rs.
To Capital Receipts ..	20,00,000	By Cash in hand and at Bankers ..	29,87,752
„ Reserve Fund ..	25,75,000	„ Loans and Cash Credit Accounts ..	1,75,90,871
„ Public and other Deposits ..	2,50,79,828	„ Bills discounted and purchased ..	8,69,944
„ Sundries ..	4,01,338	„ Investments ..	86,18,196
		„ Balance at Agencies ..	..
		„ Dead Stock ..	7,82,854
		„ Sundries ..	1,09,549
Total	3,00,59,166	Total	3,00,59,166

(Annas and pies omitted.)

BANGALORE,
Dated 18th October 1938.F. L. PERADON,
Manager.

OFFICE OF THE SENIOR SURGEON IN MYSORE, BANGALORE.

Notification dated 13th October 1938.

Mr. V. Ramanujulu Naidu, M.B.B.S., 3rd Class Assistant Surgeon, Krishnarajendra Hospital, Mysore, is permitted to change his name to "Mr. V. R. Naidu".

B. K. NARAYANA RAO,
Senior Surgeon.

I intend moving the Hon'ble the High Court of Mysore to enrol me as an Advocate thereof.

S. PUTTANNIAH, M.A., B.Sc., B.L., Pleader, Mysore.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 8362-91, dated 14th October 1938.

To

The Firms dealing in Machinery.

Enquiry No. 3057.

MACHINES AND TOOLS REQUIRED FOR THE GOVERNMENT ELECTRIC FACTORY.

GENTLEMEN,

(1) Please be good enough to intimate your best prices and the earliest time of delivery for the machines and tools described in the undermentioned schedule.

(2) The prices should be for delivery, i.e., Bangalore and c.i.f., Madras.

(3) Quotations for the supply of the machines and tools of German manufacture should be in Reichmarks payable from out of our aski account at Reichs Kredit Gesellschaft, Germany.

(4) Complete specifications together with full technical data and also illustrative catalogues and photos of the machines offered should be furnished with the quotations.

(5) It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

(6) The quotations should be superscribed "Quotations for Machines and Tools required for the Government Electric Factory" with the above enquiry Number.

(7) This enquiry will be closed on the 16th of November 1938.

SCHEDULE A.

Foundry Section.

Item No.	Description of material offered	Quantity
1.	Fixed type, Grinding Mill, used for breaking dried moulding sand and enclosed in a dust-proof sheet-iron casing, sizes of the cast iron runners being about 32" diameter and 10" wide and fitted completely with 2 step pulleys for belt drive	One
2.	Single water column, positive type, blast pressure gauge, mounted on a strong wooden board and scale calibrated in ounces per square inch and also in inches water gauge	One
3.	Heavy duty swing or flexible drive grinders for grinding heavy castings	One

SCHEDULE B.

Tool-Making Section.

Item No.	Description of material offered	Quantity																				
1.	Universal die sinking and profiling machine, with three dimensional pantograph for motor drive including motor. Complete with the following accessories, besides the standard equipment. (a) Cutter grinder with motor. (b) Tracing styles in different types. (c) Straight Shank cutters. (d) Tracing style auxiliary support guide. (e) Auxiliary work table. (f) Rotary Table. (g) Dividing head. (h) Universal vice with swivel plate. (i) Single Master copy holder. (j) Cylinder engraving attachment. (k) Roughing attachment (planing)	One																				
2.	Omniversal milling machine, arranged for motor drive and of the following capacity :— Longitudinal feed, table 24" automatic vertical feed—18" hand. Complete with all accessories	One																				
3.	High speed shaping machines, stroke of the ram 24" for belt drive (a) Suitable motor to drive the same	One One																				
4.	Pillar type, heavy duty drilling machine, capacity, 1" in steel, for motor drive [Your alternative quotation for belt drive also may be sent. In either case, please quote separately for a suitable motor.]	One																				
5.	High precision Tool Room Lathes <table><tr><td></td><td>a.</td><td>b.</td><td>c.</td></tr><tr><td>Height of centres</td><td>6"</td><td>8"</td><td>12"</td></tr><tr><td>Admiss between centres</td><td>2'-6"</td><td>2'-6"</td><td>2'-6"</td></tr><tr><td>Length of bed</td><td>6'</td><td>6'</td><td>6'</td></tr><tr><td>Hole through the spindle</td><td>1½"</td><td>1½"</td><td>1½"</td></tr></table> Quantity required One in each [Separate prices for suitable motors will have to be submitted.]		a.	b.	c.	Height of centres	6"	8"	12"	Admiss between centres	2'-6"	2'-6"	2'-6"	Length of bed	6'	6'	6'	Hole through the spindle	1½"	1½"	1½"	
	a.	b.	c.																			
Height of centres	6"	8"	12"																			
Admiss between centres	2'-6"	2'-6"	2'-6"																			
Length of bed	6'	6'	6'																			
Hole through the spindle	1½"	1½"	1½"																			
6.	Universal Tool and cutter grinding machine, 18"×8" with all the necessary attachments and accessories for plain, internal and surface grinding as well as tool and cutter grinding [The machine described above may be arranged for belt drive and separate price for a suitable motor will have to be sent.]	One																				

7. Universal Flexible shaft metal working machine, complete with tools as follows :—

(a) Rotary files.	} One
(b) High cutting tools.	
(c) Engraving tools.	
(d) Rubber tools.	
(e) Wire brushes.	
(f) Grinding Stone.	
(g) Felt tools.	

SCHEDULE C.

Screw Making Section.

Item No. Description of material offered Quantity

1. The smallest economic machine of the simplest possible design for the manufacture of spindles for spinning wheels as per specification given below :— One

The spindles intended to be made at the Electric Factory consist of straight wire of length A and diameter D. One end is tapered off to a point, not sharp but slightly rounded like that of a darning needle, the length of the taper part being T. The other end of the spindle is given a short sharp conical shape, the height of the cone being V. The different sizes are given below :—

Size	A.	D.	T.	V.
5. ..	5" ..	No. 16 SWG	2"	$\frac{1}{8}$ "
6. ..	6" ..	No. 14 SWG	2 $\frac{1}{4}$ "	3/16"
7. ..	7" ..	No. 13 SWG	2 $\frac{1}{2}$ "	$\frac{1}{4}$ "
8. ..	8" ..	No. 11 SWG	3"	$\frac{1}{2}$ "
9. ..	9" ..	No. 10 SWG	3 $\frac{1}{2}$ "	$\frac{1}{4}$ "

Alternatively, the prices of a plant from which spindles from 1" to 10" long could be made may also be given.

N.B. —Please note that the Electric Current available at the Government Electric Factory is A. C. 3 phase, 25 cycles, 220 volts.

No. S. P. C. 8692-701, dated 14th October 1938.

To

The Firms dealing in Super-Phosphate.

Enquiry No. 3059.

SUPER-PHOSPHATE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Super-Phosphate" with the above enquiry number.

This enquiry will be closed on the 28th October 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted	Time of delivery
			F. O. R.	
	Super-Phosphate.		Chickbana- war Rail- way Station.	
	The material is required to be delivered in quantities and at the periods noted below :—	40 Cwts.		
	(1) Before the end of October 1938	8 Cwts.		
	(2) Do November 1938	10 Cwts.		
	(3) Do middle of February 1939	10 Cwts.		
	(4) Early in May 1939	12 Cwts.		

No. S. P. C. 8677-91, dated 17th October 1938.

To

The Firms dealing in Electrical Materials.

Enquiry No. 3060.

ELECTRICAL MATERIALS REQUIRED FOR THE COLLEGE OF ENGINEERING.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the following schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages.

The quotations should be superscribed "Quotations for Electrical materials required for the College of Engineering" with the above enquiry number.

This enquiry will be closed on the 1st November 1938.

SCHEDULE.

Item No.	Description of material offered	Quantity
1.	V. I. R. wire 600 Megohm grade 1/.036", 1/.044", 3/.029" and 3/.036"	12 coils (three in each size).
2.	Twin flexible cord 23/.0076	1 do
3.	Ball wire	3 do
4.	Enamel Insulated aerial wire 7/22 S. W. G.	2 do
5.	Weather proof rubber covered, cotton covered wires-3 way and 4 way for loud speaker and mike use	1 do
6.	D. P. S. T. Switch fusible mounted on slate base with fuses 100 amps.	1 do
7.	Spare fuse clips for 60 and 30 amps. thumb switch	1 gross
8.	Cartridge renewable fuses 30 and 60 amps.	1 dozen
9.	Bakelite and brass holders and switches	2 "
10.	Red fibre sheet 1/64", 1/32", 5/16", 7/16"	10 lbs. (2½ lbs. in each).
11.	Cambric tubing 3 m. m. in 1 yard length	1 dozen
12.	Black tape ½" and ¾"	10 lbs. (5 lbs. in each).
13.	Standard shellac insulating varnish	1 gallon
17.	Sulphuric Acid chemically pure	10 lbs.
19.	Nicrome wire flat 22, 25, 28, 30, 32 and 34 S. W. G.	½ lb. in each
20.	S. C. C. and D. S. C. copper wires 25 to 35 S. W. G.	10 lbs.
21.	Enamel covered copper wire 45 S. W. G.	½ lb.
22.	Cotton covered eureka resistance wire 30, 31 and 32 S. W. G.	3 lbs. (1 lb. in each size).

No. S. P. C. 8667-76, dated 15th October 1938.

To

The Firms dealing in Steel Chairs.

Enquiry No. 3061.

STEEL CHAIRS REQUIRED DURING THE YEAR 1938-39.

GENTLEMEN,

Sealed tenders superscribed "Quotation for Steel Chairs" will be received by the undersigned up to the 31st October 1938 for the supply of steel chairs required for the educational institutions and other Government Departments in the State during the year 1938-39.

(1) Round chairs made of pressed steel metal, painted in black enamel, dia. of seat 15", height of seat 18", back rest 16".

(2) Folding steel chairs painted in black, chocolate or olive green, seat 13½" sq., height from the floor 18", when folded, the measurements are 38½"×16"×1".

Tenderers should bind themselves to abide by the following conditions:—

(1) The prices you quote should hold good for a period of one year from the date the contract is let.

(2) No enhancement in the prices accepted will be allowed during the period of contract.

(3) The Stores Purchase Committee do not bind themselves to purchase any definite number.

The actual requirements of all the departments should be supplied.

(4) The tenders for the chairs should be complied with within two weeks after their receipt.

(5) The prices quoted should be for free delivery on rails at all the Railway Stations in the State.

(6) The chairs should be guaranteed to be of sound construction and workmanship and such as are found to be defective or become unserviceable under normal use during the year, will have to be replaced by sound ones free of cost to us.

(7) Illustrated literature together with the full specification of the chairs offered may be forwarded along with the tender.

No. S. P. C. 8944-63, dated 17th October 1938.

To

The Firms dealing in Hardware Materials and Tools and Plant.

Enquiry No. 3066.

MATERIALS REQUIRED FOR JOG FALLS PROJECT WORKS.

GENTLEMEN,

Please quote your best prices and earliest time of delivery for the materials described in the schedules I and II given below.

The tools offered should be of English or American make and the name of the manufacturers should be specified.

As the materials are required for immediate use, such of the materials as can be delivered from stock should be clearly indicated in your tender.

The prices to be quoted should be for delivery, F.O.R., Bangalore City and also F. O. R., Sagar, Mysore State Railway, in the case of G. I. Pipes and fittings required under schedule I and in respect of schedule II, the prices should be for delivery, F.O.R., Sagar, Mysore State Railway.

This enquiry will close on the 10th November 1938.

Schedule.

Item No.	Description of Materials.	Quantity required.
1.	Pipe Galvanised in standard lengths, with couplings at one end and threaded at the other end, 4" dia.	5,000 Ft.
2.	Do 3"	11,200 "
3.	Do 1½"	4,500 "
4.	Do 1"	2,800 "
5.	Do ¾"	950 "
6.	Do ½"	30 "
7.	Bends Galvanised 5"	2 "
8.	Elbows Galvanised 4"	50 "
9.	Do 3"	50 "
10.	Do 1½"	70 "
11.	Do 1"	55 "
12.	Do ¾"	130 "
13.	Reducing Tees Galvanised 4" to 3"	5 "
14.	Tees Galvanised 3"	40 "
15.	Do 1½"	40 "
16.	Do 1"	40 "
17.	Do ¾"	45 "
18.	Collars Galvanised 4"	50 "
19.	Do 3"	100 "
20.	Do 1½"	100 "
21.	Do ¾"	120 "
21. (a)	Do 1"	70 "
22.	Right-angle Bends Galvanised 4"	24 "
23.	Do do 3"	60 "
24.	Do do 1½"	60 "
25.	Do do 1"	75 "
26.	Do do ¾"	60 "
27.	Wheel valves for Galvanised pipes 4"	5 "
28.	Do do 3"	12 "
29.	Do do 1½"	40 "
30.	Do do 1"	40 "
31.	Brass Taps, screw-down, heavy ¾"	160 "
32.	Plugs Galvanised 4"	25 "
33.	Do 3"	15 "
34.	Do 1½"	20 "
35.	Do 1"	24 "
36.	Do ¾"	45 "
37.	Reflex Valves 4"	4 "
38.	Do 3"	2 "

Schedule II.

TOOLS AND PLANT.

Item No.	Description of Materials.	Quantity required.
1.	Pick Axes	1,000
2.	Munties swan neck	2,000
3.	Crow Bars 1" dia. 6 ft. long	500

Item No.	Description of Materials.	Quantity required.
4.	Steel Jumpers $1\frac{1}{8}$ " octagonal	1,000 Ft.
5.	Mortar Pans	5,000
7.	Manilla Rope 1" dia.	2,500 Ft.
8.	Do $\frac{3}{4}$ " "	5,000 "
9.	Do $\frac{1}{2}$ " "	2,500 "
10.	Tool Steel 1" square	1,000 "
11.	Do $1\frac{1}{2}$ " "	1,000 "
12.	Galvanised iron pots	1,000
13.	Buckets Galvanised	1,000
14.	Wire rope, stranded, 1" dia.	1,500 Ft.
15.	Carpenters' plane 10" to 12" size	20
16.	Carpenters' Chisels	100 Sets of 1" to $\frac{1}{4}$ "
17.	Bill Hooks, English, double-edged	500
18.	Felling Axes	500
19.	"Buffalow" Fan forge, dia. of hearth 20"	12
20.	Pulley Blocks, double sheave 1"	20
21.	Do do $\frac{3}{4}$ "	20
22.	Do do $\frac{1}{2}$ "	20
23.	Differential Pulley Blocks, worm-gear, to lift 3 to 10 tons, with lift-chain and hand-chain complete	6
24.	Pipe cutters, 3-wheel, $\frac{1}{2}$ " to 2"	12
25.	Do $1\frac{1}{2}$ " to 3"	12
26.	Do 3" to 4"	12
27.	Hack-saw Frames, hand-grip type 12"	25
28.	Hack-saw Blades, 12" x 1", star brand	2 Gross.
29.	Pipe Wrenches, $\frac{1}{2}$ " to 2"	12
30.	Do $1\frac{1}{2}$ " to 3"	12
31.	Do 3" to 4"	12
32.	Pipe Vices, portable, with triangular stand, $\frac{1}{2}$ " to 2"	12
33.	Do do $1\frac{1}{2}$ " to 3"	12
34.	Do do 3" to 4"	12
35.	Bench Vice, 6" jaw	15
36.	Chain Wrenches 18"	12
37.	Do 24"	24
38.	Files Flat, Rough, 12"	25
39.	Do Smooth 12"	25
40.	Files, half-round, 12" rough	25
41.	Do 12" smooth	25
42.	Adjustable Pipe Spanners 4"	12
43.	Die Sets "Little Giant" $\frac{1}{4}$ " to 4" complete with taps for pipe use	12 Sets.
44.	Combined Pipe Cutter and Pipe Wrenches $\frac{1}{2}$ " to 2"	3
45.	Do do $1\frac{1}{2}$ " to 3"	3
46.	Do do 3" to 4"	3
47.	Petromax Lanterns 200-C.P.	50
48.	Table type Petromax Lamps 200-C.P.	10
49.	Nettlefold's Improved Ratchet Braces, 16" long, depth of feed 3", suitable for taking twist drill bits square shank	6
50.	Twist Drill Bits, square shank, $\frac{1}{4}$ " to $1\frac{1}{2}$ " (by $\frac{1}{8}$ ") suitable for the above	12 Sets.

G. I. SHEETS AND ASBESTOS SHEETS.

51.	Galvanised Iron Sheets, corrugated 8' long, 22 gauge	9,850 Sheets.
52.	Do do 10' do	9,850 "
53.	Asbestos Cement "Super-thirteen" sheets $\frac{3}{4}$ " thick	4,000 Square.

No. S. P. C. 9016-20, dated 17th October 1938.

To

The Firms dealing in Tree Killer.

Enquiry No. 3064.

TREE KILLER.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your

expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Tree Killer," with the above enquiry number. This enquiry will be closed on the 31st October 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted	Time of delivery
			F. O. R.	
	Tree Killer Solution	70 Gallons	Hassan.	

N.B.—(1) The price to be quoted should be per drum of five gallons.

(2) The Trade name of the solution offered should be specified.

(3) Half the quantity is required to be supplied immediately and the other half in the first week of February 1939.

No. S. P. C. 8964-83, dated 17th October 1938.

To

The Firms dealing in Pumping Sets.

Enquiry No. 3067.

DIESEL ENGINE DRIVEN PUMPING SETS REQUIRED FOR JOG FALLS PROJECT WORKS.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the pumping sets described below:—

1. Engine-driven Pumping sets—consisting of:—

2—Multistage Centrifugal pumps, suction lift 20-ft., delivery head 200 ft., Two sets. suction pipe 5", delivery mains 4", discharge 210 gallons per minute, complete with sluice valve, delivery valve and other accessories to be direct coupled or belt-driven with a Diesel oil engine.

2—Crude Oil Diesel Engines 25 B. H. P. hand and cold starting, 1,500 r.p.m., 2-cylinder vertical type with direct coupling arrangements to the above pump; complete with starting handle, fuel filter, air filter, fly wheel, fuel tank, silencer, foundation parts, necessary spares and 1 set of tools. Engine to be provided with water circulation cooling arrangements by a water circulating pump.

2. Engine-driven Pumping sets consisting of:—

2—Multistage Centrifugal pumps, suction lift 20-ft., delivery head 200-ft., suction pipe 4", delivery pipe 3", discharge 105 gallons per minute, complete with sluice valve, delivery valve, and other accessories to be direct coupled with Diesel Oil Engine or belt driven.

2—Crude Oil Diesel Engines of Vertical design, 15 B. H. P., hand and cold starting, 1,500 r.p.m., 2-cylinder, four-stroke, operating on pre-chamber principle. Direct coupling arrangements with the pump. Complete with starting handle, fuel filter, air filter, fly wheel, fuel tank, silencer, foundation parts, necessary spares and one set of tools. The engine to be provided with circulation water cooling arrangements by a water circulating pump.

Note.—The above pumping sets should conform to the detailed specifications noted hereunder:—

Specifications.—The pump should be provided with suitable ball bearings close to the drive pulley, if belt driven, so as to avoid any strain on the pump glands. The bearing should be efficiently lubricated with dust-proof and drip-proof bearing covers and of sturdy design to ensure satisfactory running and long life. The pumps should be provided with suitable foot-valves, cast-iron flanged type sluice valve with extra large strainer and a delivery valve. If direct-coupled, the pumps should be fitted with flexible coupling and mounted on a base plate extended to receive the driving engine also on the same base. The shaft of the pump should be made of Siemens Martin steel and completely protected inside the pump by exchangeable preserving bronze sleeves, from the touch with stuffing box packing. The stuffing box should be provided with a water seal by hydraulic pressure.

The impeller should be cast in gun-metal preferably machined and polished wherever possible. The pump and the engine should be tested before despatch and the test results and certificates enclosed. Necessary literature for installing and running the pumps and engines should be supplied.

Full particulars of the equipment offered should be furnished in the tender, which should be accompanied by illustrated literature and drawings relating to the equipment.

The prices to be quoted should be for delivery, i.e., Sagar, Mysore State Railway.

This enquiry will close on the 10th November 1938.

No. S. P. C. 9026-45, dated 17th October 1938.

To

The Firms dealing in Electric Wires and Cables.

Enquiry No. 3072.

FLEXIBLE CORDS V.I.R. INSULATED.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials:

1. 3,000 ft.—Flexible cord, having two extra flexible conductors, with cotton separators, double vulcanised rubber insulated and braided, two conductors twisted together.
Size No. 18 B. & S.
2. 3,000 ft.—Do do Size No. 16 B. & S.
3. 500 ft.—Workshop flexible for portable lamp, etc.,
cabletyre sheathed twin conductor round cable size No. 14 B. & S.
4. 400 ft.—Do do Size No. 12 B. & S.

The prices to be quoted should be for delivery, C.I.F., Madras.

This enquiry will close on the 15th November 1938.

Yours faithfully,

T. RANGASWAMI,

Secretary,

Stores Purchase Committee.

No. S. P. C. 9122, dated 17-18th October 1938.

NOTICE.

Enquiry No. 3016.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of 21,000 Nos. suspension Insulators Clevis type and fittings for same such as steel Hooks, Clamps, etc., required in connection with Jog Falls Project, up to 30th November 1938.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 10 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps or postal orders will not be accepted towards the cost of forms nor will the forms be sent by V. P. P.

No. S. P. C. 9023, dated 17th October 1938.

NOTICE.

Enquiry No. 3071.

TRANSFORMER OIL.

The Stores Purchase Committee will receive tenders up to the 30th November 1938 for the supply of 20,000 gallons of Transformer Oil required for High Tension Transformers. Detailed specifications of the materials will be furnished on application to the undersigned.

By Order,

T. RANGASWAMI,

Secretary,

Stores Purchase Committee.